



GP-1T

GP-1T – Pneumatic Grip

Pneumatic piston 50mm Ø

Capacity: 1.2 kN 7 bar (max 16 bar)

Opening: 10 mm (depending on jaw size)



GP-1T






GP-1T+2Ko

Jaws for GP-1T: Scope of delivery 1 Set = 4 jaws

Item number	Surface	Clamping surface H x W	Weight/ pair
GP-1T-B	Blank jaws	30 x 30mm	0.13 kg
GP-1T-BG	Rubber jaws	30 x 30mm	0.13 kg
GP-1T-BP	Pyramid jaws	30 x 30mm	0.12 kg
GP-1T-BV2	V-jaws	30 x 30mm	0.12 kg
GP-1T-BV3	V-jaws	30 x 30mm	0.13 kg
GP-1T-BW	Wave jaws	30 x 30mm	0.12 kg
GP-1T-BD	Diamond jaws	30 x 30mm	0.13 kg
GP-1T-B50	Blank jaws	30 x 50mm	0.22 kg
GP-1T-BG50	Rubber jaws	30 x 50mm	0.23 kg
GP-1T-BP50	Pyramid jaws	30 x 50mm	0.21 kg
GP-1T-BW50	Wave jaws	30 x 50mm	0.20 kg
GP-1T-BD50	Diamond jaws	30 x 50mm	0.22 kg
GP-1T-B80	Blank jaws	30 x 80mm	0.36 kg
GP-1T-BG80	Rubber jaws	30 x 80mm	0.37 kg
GP-1T-BP80	Pyramid jaws	30 x 80mm	0.35 kg
GP-1T-BW80	Wave jaws	30 x 80mm	0.32 kg
GP-1T-BD80	Diamond jaws	30 x 80mm	0.36 kg
GP-1T-B100	Blank jaws	30 x 100mm	0.45 kg
GP-1T-BG100	Rubber jaws	30 x 100mm	0.46 kg
GP-1T-BP100	Pyramid jaws	30 x 100mm	0.45 kg
GP-1T-BW100*	Wave jaws	30 x 100mm	0.51 kg
GP-1T-BD100	Diamond jaws	30 x 100mm	0.45 kg

* Opening is reduced by 4 mm

	Blank jaws - Steel-blanks without coating - Applicable for further treatment
	Rubber jaws - 1mm rubber coating (NBR) - Nickel plated
	Pyramid jaws - Pyramids 1.2x45° - Hardened steel 58 HRC - Nickel plated
	V-jaws - For all kinds of round samples - Tooth pitch 1.2 mm - Hardened steel 58HRC - Nickel plated
	Wave jaws - For flexible materials - Wave 5 mm - Hardened steel 58HRC - Nickel plated
	Diamond jaws - Clamping surface coated with synthetic diamonds D91 (170/200 mesh) - Nickel plated

	GP-1T-S20+Ko+EBP-V2a 20mm opening With quick-change inserts
	GP-1T-S20+2Ko+EBP 20mm opening With quick-change inserts 2 rods
 Technical drawing showing dimensions (mm): - Overall width: 170 - Overall height: 80 - Base width: 58 - Top opening width: 30 - Base opening width: 50 - Base opening height: 30 - Internal opening width: 20 - Internal opening height: 10	

